

TEI BY EXAMPLE

`<TBE:eg>`
TEI
By
Example
`</TBE:eg>`

MODULE 0: INTRODUCTION TO TEXT ENCODING AND THE TEI

Ron Van den Branden

Edward Vanhoutte

Melissa Terras

Centre for Scholarly Editing and Document Studies (CTB), Royal
Academy of Dutch Language and Literature, Belgium, Gent, 9 July 2010

Last updated September 2020

Licensed under a Creative Commons Attribution ShareAlike 3.0 License

TABLE OF CONTENTS

1. Introduction.....	1
----------------------	---

1. Introduction

Contrary to the other examples sections, this examples section of the introductory TBE tutorial will illustrate different types of encoding for one sample text. These markup samples will range from procedural to descriptive markup languages, in a variety of formats (text, SGML, XML). Before starting, have a look at the following document:




Figure 1. A sample prose document.

In this short piece of prose, following text structures can be distinguished:

- a heading
- a paragraph

- a footnote

Apart from these structures, some textual phenomena can be distinguished:

- a title (“Die Leiden des jungen Werther”)
- emphasised text (“exceptionally”)
- a term (“Weltschmerz”)
- a name (“Goethe”)

Let’s have a look how different encoding flavours treat these phenomena.