

TEI BY EXAMPLE

0101010101010101
<TBE:eg>
TEI
By
Example
</TBE:eg>
1010101010101010
0101010101010101
1010101010101010

MODULE 4: POETRY

Edward Vanhoutte

Ron Van den Branden

Melissa Terras

Centre for Scholarly Editing and Document Studies (CTB) , Royal
Academy of Dutch Language and Literature, Belgium, Gent, 9 July 2010

Last updated September 2020

Licensed under a Creative Commons Attribution ShareAlike 3.0 License

TABLE OF CONTENTS

| | |
|-------------------------------------|---|
| 3. Rhyme..... | 1 |
| 3.1 Rhyming Words..... | 1 |
| 3.2 Rhyme Patterns..... | 2 |
| 3.3 Rhyming Words and Patterns..... | 3 |

3. Rhyme

So far, all of the elements and attributes for structuring verse texts were members of the “common” elements and attributes defined in the **core** TEI module. Yet, TEI provides a specific **verse** module as well, which defines a number of elements and attributes specific for the encoding of verse texts. Some of these will be discussed in the following sections. In order to use them, a TEI schema must include all (or just the required) components of that **verse** module; see [Module 8: Customising TEI, ODD, Roma](#) for a tutorial on how to customise TEI.

3.1 Rhyming Words

The rhyming words of a line of verse can be encoded using the appropriate `<rhyme>` element:

```
<lg xmlns="http://www.tei-c.org/ns/1.0" type="poem">
  <lg type="stanza">
    <l>
      <rhyme>Poppadom</rhyme>
    </l>
    <l>
      <rhyme>Oatmeal</rhyme>
    </l>
    <l>Bubble <rhyme>gum</rhyme></l>
    <l>Cut of <rhyme>veal</rhyme></l>
  </lg>
  <lg type="stanza">
    <l>Mince for <rhyme>pie</rhyme></l>
    <l>Frozen <rhyme>peas</rhyme></l>
    <l>Video for <rhyme>Guy</rhyme></l>
    <l>Selection of <rhyme>teas</rhyme></l>
  </lg>
  <lg type="stanza">
    <l>Paper towels/garbage <rhyme>bags</rhyme></l>
    <l>Pasta sauce and <rhyme>Parmesan</rhyme></l>
    <l>Pumpkin seed and olive <rhyme>oil</rhyme></l>
  </lg>
  <lg type="stanza">
    <l>Cheesy crisps and favourite <rhyme>mags</rhyme></l>
    <l>Kidney beans (1 large <rhyme>can</rhyme>)</l>
  </lg>
</lg>
```

```

    <l>Cling film and kitchen <rhyme>foil</rhyme></l>
  </lg>
</lg>

```

Example 15. Encoding rhyme words with <rhyme>.

<rhyme> can appear anywhere in the line. This way, not only end-of-line rhymes can be tagged but also internal rhyme, even inside prose(-like) paragraphs like in the following fragment:

```

<p xmlns="http://www.tei-c.org/ns/1.0"><rhyme>This</rhyme> <rhyme>course</rhyme>
on verse <rhyme>is</rhyme> <rhyme>terse</rhyme> and provides a <rhyme>fine</rhyme>
de<rhyme>sign</rhyme> for the study of poetry like <rhyme>yours</rhyme>
and <rhyme>mine</rhyme></p>

```

Example 16. <rhyme> can be used inside prose paragraphs, too.

3.2 Rhyme Patterns

Rhyme patterns can be documented with a @rhyme attribute which has a default notation in which distinct letters stand for rhyming lines. This attribute can be added to <lg> and/or to <l>, and also to any <div> element that is used for the encoding of poetry. Of course, the

The rhyme scheme in the shopping list poem is *ababcdcdefgfg*. This can be documented inside the @rhyme attribute of <lg type="poem">. The rhyme scheme of the separate stanzas can be encoded inside the @rhyme attribute of <lg type="stanza">, and even the rhyme scheme of the separate lines can technically be encoded inside the @rhyme attribute of the <l> element. The complexity of the use of all these options depends on the encoder. A maximally complex encoding could be the following:

```

<lg xmlns="http://www.tei-c.org/ns/1.0" type="poem" rhyme="ababcdcdefgfg">
  <lg type="stanza">
    <l rhyme="a">
      <rhyme>Poppadom</rhyme>
    </l>
    <l rhyme="b">
      <rhyme>Oatmeal</rhyme>
    </l>
  </lg>
</lg>

```

```

</l>
<l rhyme="a">Bubble <rhyme>gum</rhyme></l>
<l rhyme="b">Cut of <rhyme>veal</rhyme></l>
</lg>
<lg type="stanza">
  <l rhyme="c">Mince for <rhyme>pie</rhyme></l>
  <l rhyme="d">Frozen <rhyme>peas</rhyme></l>
  <l rhyme="c">Video for <rhyme>Guy</rhyme></l>
  <l rhyme="d">Selection of <rhyme>teas</rhyme></l>
</lg>
<lg type="stanza">
  <l rhyme="e">Paper towels/garbage <rhyme>bags</rhyme></l>
  <l rhyme="f">Pasta sauce and <rhyme>Parmesan</rhyme></l>
  <l rhyme="g">Pumpkin seed and olive <rhyme>oil</rhyme></l>
</lg>
<lg type="stanza">
  <l rhyme="e">Cheesy crisps and favourite <rhyme>mags</rhyme></l>
  <l rhyme="f">Kidney beans (1 large <rhyme>can</rhyme>)</l>
  <l rhyme="g">Cling film and kitchen <rhyme>foil</rhyme></l>
</lg>
</lg>

```

Example 17. Encoding the rhyme scheme of different structural units, with @rhyme.

3.3 Rhyming Words and Patterns

The correspondence between the rhyming pattern documented in the @rhyme attribute and the rhyming words encoded with the <rhyme> element can be specified in a @label attribute on the <rhyme> element. The value of this attribute is usually one of the letters of the rhyme pattern. Applied to the shopping list poem, this results in the following encoding:

```

<lg xmlns="http://www.tei-c.org/ns/1.0" type="poem" rhyme="ababcdcdefgfg">
  <lg type="stanza">
    <l>
      <rhyme label="a">Poppadom</rhyme>
    </l>
    <l>

```

```

    <rhyme label="b">0atmeal</rhyme>
  </l>
  <l>Bubble <rhyme label="a">gum</rhyme></l>
  <l>Cut of <rhyme label="b">veal</rhyme></l>
</lg>
<lg type="stanza">
  <l>Mince for <rhyme label="c">pie</rhyme></l>
  <l>Frozen <rhyme label="d">peas</rhyme></l>
  <l>Video for <rhyme label="c">Guy</rhyme></l>
  <l>Selection of <rhyme label="d">teas</rhyme></l>
</lg>
<lg type="stanza">
  <l>Paper towels/garbage <rhyme label="e">bags</rhyme></l>
  <l>Pasta sauce and <rhyme label="f">Parmesan</rhyme></l>
  <l>Pumpkin seed and olive <rhyme label="g">oil</rhyme></l>
</lg>
<lg type="stanza">
  <l>Cheesy crisps and favourite <rhyme label="e">mags</rhyme></l>
  <l>Kidney beans (1 large <rhyme label="f">can</rhyme>)</l>
  <l>Cling film and kitchen <rhyme label="g">foil</rhyme></l>
</lg>
</lg>

```

Example 18. Identifying a `<rhyme>` in a rhyme scheme with `@label`.

All `<rhyme>` elements with the same value for their `@label` attribute are assumed to rhyme with each other within a given scope. That scope is defined by the nearest ancestor element for which the `@rhyme` attribute has been supplied.

In the following encoding of the same poem, the scope is defined by the nearest ancestor element with a `@rhyme` attribute, i.e., the `<lg type="stanza">` element. This means that the rhyming words labelled a, b, or c are only assumed to rhyme inside that stanza and not across stanzas:

```

<lg xmlns="http://www.tei-c.org/ns/1.0" type="poem">
  <lg type="stanza" rhyme="abab">
    <l>

```

```

    <rhyme label="a">Poppadom</rhyme>
  </l>
<l>
    <rhyme label="b">Oatmeal</rhyme>
  </l>
<l>Bubble <rhyme label="a">gum</rhyme></l>
<l>Cut of <rhyme label="b">veal</rhyme></l>
</lg>
<lg type="stanza" rhyme="abab">
  <l>Mince for <rhyme label="a">pie</rhyme></l>
  <l>Frozen <rhyme label="b">peas</rhyme></l>
  <l>Video for <rhyme label="a">Guy</rhyme></l>
  <l>Selection of <rhyme label="b">teas</rhyme></l>
</lg>
<lg type="stanza" rhyme="abc">
  <l>Paper towels/garbage <rhyme label="a">bags</rhyme></l>
  <l>Pasta sauce and <rhyme label="b">Parmesan</rhyme></l>
  <l>Pumpkin seed and olive <rhyme label="c">oil</rhyme></l>
</lg>
<lg type="stanza" rhyme="abc">
  <l>Cheesy crisps and favourite <rhyme label="a">mags</rhyme></l>
  <l>Kidney beans (1 large <rhyme label="b">can</rhyme>)</l>
  <l>Cling film and kitchen <rhyme label="c">foil</rhyme></l>
</lg>
</lg>

```

Example 19. The nearest ancestor element with a @rhyme attribute determines the scope for @label.

SUMMARY

The occurrence of rhyming words and rhyming patterns and their correspondence can be encoded by a combination of tags and attribute values. Depending on the encoder's preferences, they can be applied to different structural levels of the text.